



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

60

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/082,772	02/25/2002	Peter Drogc	DEBE:008US	4391
7590	09/23/2004		EXAMINER	
Steven L. Highlander FULBRIGHT & JAWORSKI L.L.P. Suite 2400 600 Congress Avenue, Austin, TX 78701			NGUYEN, QUANG	
			ART UNIT	PAPER NUMBER
			1636	
DATE MAILED: 09/23/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/082,772	DROGE ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Quang Nguyen, Ph.D.	1636	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) Responsive to communication(s) filed on 06 July 2004.  
 2a) This action is **FINAL**.                    2b) This action is non-final.  
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) Claim(s) 29-60 is/are pending in the application.  
 4a) Of the above claim(s) 52-60 is/are withdrawn from consideration.  
 5) Claim(s) \_\_\_\_\_ is/are allowed.  
 6) Claim(s) 29-51 and 58 is/are rejected.  
 7) Claim(s) \_\_\_\_\_ is/are objected to.  
 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) The specification is objected to by the Examiner.  
 10) The drawing(s) filed on \_\_\_\_\_ is/are: a) accepted or b) objected to by the Examiner.  
     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
 a) All    b) Some \* c) None of:  
 1.) Certified copies of the priority documents have been received.  
 2.) Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
 3.) Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                     | Paper No(s)/Mail Date. _____ .  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ . | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
|  | 6) <input type="checkbox"/> Other: _____ .                                  |

### **DETAILED ACTION**

Applicants' amendment filed on 7/6/04 has been entered.

Claims 29-60 are pending in the present application.

This application contains claims 52-57 and 59-60, drawn to an invention nonelected without traverse in the amendment filed on 8/29/03. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Accordingly, claims 29-51 and 58 are examined on the merits herein, with the elected invention drawn to a method of sequence specific recombination of DNA in a eukaryotic cell in a cell culture or ex vivo.

#### ***Response to Amendment***

The prior rejection of record is withdrawn in light of Applicant's amendment.

**Following are new grounds of rejections necessitated by Applicants' amendment (the replacement of a NEW sequence listing with new sequences identified as SEQ ID NOS:1-4).**

#### ***Written Description***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 29-51 and 58 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

*Vas-Cath Inc. v. Mahurkar*, 19USPQ2d 1111 (Fed. Cir. 1991), clearly states that "applicant must convey with reasonable clarity to those skilled in the art that, as of the filing date sought, he or she was in possession of the *invention*. The invention is, for purposes of the 'written description' inquiry, *whatever is now claimed*." *Vas-Cath Inc. v. Mahurkar*, 19USPQ2d at 1117. The specification does not "clearly allow persons of ordinary skill in the art to recognize that [he or she] invented what is claimed." *Vas-Cath Inc. v. Mahurkar*, 19USPQ2d at 1116.

An embodiment of Applicant's elected invention is drawn to a method of sequence specific recombination of DNA in a eukaryotic cell *ex vivo*, the method comprises the step of providing said eukaryotic cell, said cell comprising a first DNA segment, said first DNA segment comprising an attB sequence according to SEQ ID NO:1 or a derivative thereof, an attP sequence according to SEQ ID NO:2 or a derivative thereof, an attL sequence according to SEQ ID NO:3 or a derivative thereof, or an attR sequence according to SEQ ID NO:4 or a derivative thereof, wherein said first DNA segment is naturally occurring in the genome of said cell.

However, apart from the disclosure that the human genome contains the attH sequence that has a homology of about 85% to the *E.Coli* attB sequence, and falls within the scope of a derivative of attB sequence of SEQ ID NO:1, the instant

specification fails to describe structural characteristics of any other eukaryotic cells whose genomes comprise naturally-occurring first DNA segment having the attB, attP, attL or attR sequence as recited in the claims. Please note that attB, attL and attR sequences are naturally occurring in *E. Coli*, whereas the attP sequence is naturally occurring in the bacteriophage lambda, all of which are not occurring naturally in the genome of a eukaryotic cell in general. The instant specification fails to provide a representative number of species for a broad genus of a eukaryotic cell whose genome comprises naturally-occurring first DNA segment having the desired properties to be utilized in the method as claimed. Nor does the prior art at about the effective filing date of the present application (8/29/00).

The claimed invention as a whole is not adequately described. Possession may be shown by actual reduction to practice, clear depiction of the invention in a detailed drawing, or by describing the invention with sufficient relevant identifying characteristics such that a person skilled in the art would recognize that the inventor had possession of the claimed invention. Pfaff v. Wells Electronics, Inc., 48 USPQ2d 1641, 1646 (1998). The skilled artisan cannot envision the detailed structure of a broad genus of a eukaryotic cell whose genome comprises naturally occurring first DNA segment having the recited properties to be utilized in the method as claimed, and therefore conception is not achieved until reduction to practice has occurred, regardless of the complexity or simplicity of the method.

Adequate written description requires more than a mere statement that it is part of the invention and reference to a potential method of isolating it. See *Fiers v. Revel*,

25 USPQ2d 1601, 1606 (Fed. Cir. 1993) and *Amgen Inc. v. Chugai Pharmaceutical Co. Ltd.*, 18 USPQ2d 1016 (Fed. Cir. 1991). One cannot describe what one has not conceived. See *Fiddes v. Baird*, 30 USPQ2d 1481, 1483.

Applicant is reminded that *Vas-Cath* makes clear that the written description provision of 35 U.S.C. §112 is severable from its enablement provision (see page 1115).

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 29-30, 32-33, 36, 40-41, 44-48 and 51 are rejected under 35 U.S.C. 102(a) as being anticipated by Lorbach et al. (J. Mol. Biol. 296:1175-1181, 2000, IDS).

Lorbach et al disclose a method in which pGFPattB/attP or pGFPattL/attR was co-introduced either with pPGKInt-h or pKEXInt-h to human HeLa or BL60 cells, and demonstrate that phage λ Int-h is proficient at performing integrative and excisive recombination on episomal DNA substrates in these two different cell lines (page 1176, col. 2, first two paragraphs). Lorbach et al further demonstrated that mutant Int proteins (Int-h and Int-h/218) are proficient to perform intramolecular, integrative recombination between attB/attP at genomic target sites in two different human cell lines, but little excisive recombination between attL and attR on a genomic substrate was detected using these mutant Int proteins (page 1178, col. 2, first two full paragraphs). Lorbach et al also teach that that integrative recombination in human reporter cells expressing wild-type phage λ Int is not detectable (page 1178, col. 2, last paragraph). It is further noted that the results taught by Lorbach et al are the same results presented by the present application.

Accordingly, Lorbach et al anticipate the instant claims.

Claims 29-30, 32-33, 36, 38, 44-48 and 58 are rejected under 35 U.S.C. 102(e) as being anticipated by Crouzet et al. (US Patent 6,143,530).

Crouzet et al teach a method for producing therapeutic DNA molecules by excision from a plasmid or from a chromosome by site-specific recombination, wherein

the site-specific recombination is carried out in a host cell or *in vitro*, and wherein the site-specific recombination is carried out by means of various systems which lead to site-specific recombination between sequences (col. 3, line 27 continues to line 20 of col. 4; Figures 1-2). Specifically, Crouzet et al disclose that the gene or genes of interest flanked by the two sequences permitting site-specific recombination, positioned in the direct orientation in a vector, a phage or a virus, and the specific recombination sequences and recombinases used can belong to different structural classes, including the integrase family of bacteriophage  $\lambda$  and the attP and attB sequences catalyzed by the phage lambda integrase (col. 4, lines 21-52; col. 5, lines 32-41). The disclosed attB sequence is identical to SEQ ID NO:1 of the present application (see SEQ ID NO:6), and therefore the corresponding attP recombination sequence must have the same SEQ ID NO: 2 of the present application, or at least a derivative thereof. Additionally, Crouzet et al. teach that their genetic constructs can be used for the construct of cell hosts having disclosed elements integrated in their genomes (col. 4, lines 4-9, and Figure 1). Crouzet et al further teach that the recombinase used can be under the control of a promoter or a system of inducible promoters, and it can be carried by a plasmid, a phage or even in the non-therapeutic region of the recombinant DNAs (col. 7, lines 45 continues to line 39 of col. 8), and that any type of host cell can be used including eukaryotic cells such as yeasts, animal cells, plant cells, mammalian cells such as CHO, COS and mouse NIH3T3 (col. 9, lines 48-60).

The teachings of Crouzet et al meet all the limitation of the instant claims. Accordingly, the reference anticipates the instant claims.

Claims 29, 32-35, 42, 44-45 and 58 are rejected under 35 U.S.C. 102(b) as being anticipated by Hartley et al. (US 5,888,732).

Hartley et al disclose a method of making chimeric DNA comprising the steps: (a) combining *in vitro* or *in vivo*, (b) an Insert Donor DNA molecule, comprising a desired DNA segment flanked by a first recombination site and a second recombination site, wherein the first and second recombination sites do not recombine with each other; (c) a Vector Donor DNA molecule containing a third recombination site and a fourth recombination site, wherein the third and fourth recombination site do not recombine with each other; and (d) one or more site specific recombination proteins capable of recombining the first and third recombination sites and/or the second and fourth recombination sites (see Summary of the Invention, and Figures 1-2A-F). Hartley et al further teach that examples of recognition sequences to be utilized include attB, attP, attL, and attR sequences which are recognized by the recombinase enzyme  $\lambda$  Integrase as well the  $\lambda$  Integrase (col. 8, lines 43-63). The disclosed attB sequence of SEQ ID NO:32 comprises the sequence that is identical to SEQ ID NO:1 of the present application, and therefore the corresponding attP recombination sequence must have the same SEQ ID NO: 2 of the present application, or at least a derivative thereof. Furthermore, the attL and attR recombination sequences that are catalyzed by the bacterial  $\lambda$  Integrase as taught by Hartley et al. must have the same SEQ ID NO:3 and SEQ ID NO:4, respectively, or a derivative thereof. The desired DNA segment includes a selectable marker, an antisense oligonucleotide or a toxic gene (col. 9, lines 5-36),

and that host cells include E.coli cell lines as well as eukaryotic cells (col. 13, lines 35-55). Hartley et al. also teach the use of integrase in the presence of λ protein Xis (excise) to catalyze the reaction of attR and attL to form attP and attB in their method (col. 15, lines 1-4), as well as the use of IHF proteins for the recombination at attB and attP sites (col. 14, lines 26-30). Hartley et al. also teach engineered att recombination sites having one or multiple mutations to enhance specificity or efficiency of the recombination reaction, and that a tripartite protein fusion could be accomplished with parental plasmids containing recombination sites attR1 and attR2; attL1 and attL3; and attR3 and attL2 (col. 16, lines 26-61; col. 17, line 47 continues to line 46 of col. 18).

The teachings of Hartley et al meet all the limitation of the instant claims. Accordingly, the reference anticipates the instant claims.

#### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

Art Unit: 1636

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 29 and 40-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hartley et al. (US 5,888,732) in view of Christ & Droege (J. Mol. Biol. 288:825-836, 1999; IDS).

Hartley et al disclose a method of making chimeric DNA comprising the steps: (a) combining in vitro or in vivo, (b) an Insert Donor DNA molecule, comprising a desired DNA segment flanked by a first recombination site and a second recombination site, wherein the first and second recombination sites do not recombine with each other; (c) a Vector Donor DNA molecule containing a third recombination site and a fourth recombination site, wherein the third and fourth recombination site do not recombine with each other; and (d) one or more site specific recombination proteins capable of recombining the first and third recombination sites and/or the second and fourth recombination sites (see Summary of the Invention, and Figures 1-2A-F). Hartley et al further teach that examples of recognition sequences to be utilized include attB, attP, attL, and attR sequences which are recognized by the recombinase enzyme  $\lambda$  Integrase as well the  $\lambda$  Integrase (col. 8, lines 43-63). The disclosed attB sequence of SEQ ID NO:32 comprises the sequence that is identical to SEQ ID NO:1 of the present application, and therefore the corresponding attP recombination sequence must have the same SEQ ID NO: 2 of the present application, or at least a derivative thereof. Furthermore, the attL and attR recombination sequences that are catalyzed by the

bacterial  $\lambda$  Integrase as taught by Hartley et al. must have the same SEQ ID NO:3 and SEQ ID NO:4, respectively, or a derivative thereof. The desired DNA segment includes a selectable marker, an antisense oligonucleotide or a toxic gene (col. 9, lines 5-36), and that host cells include E.coli cell lines as well as eukaryotic cells (col. 13, lines 35-55). Hartley et al. also teach the use of integrase in the presence of  $\lambda$  protein Xis (excise) to catalyze the reaction of attR and attL to form attP and attB in their method (col. 15, lines 1-4), as well as the use of IHF proteins for the recombination at attB and attP sites (col. 14, lines 26-30). Hartley et al. also teach engineered att recombination sites having one or multiple mutations to enhance specificity or efficiency of the recombination reaction, and that a tripartite protein fusion could be accomplished with parental plasmids containing recombination sites attR1 and attR2; attL1 and attL3; and attR3 and attL2 (col. 16, lines 26-61; col. 17, line 47 continues to line 46 of col. 18).

Hartley et al do not specifically teach the use of a modified  $\lambda$  Integrase, and more specifically Int-h or Int h/218.

However, at the effective filing date of the present application Christ & Droege already teach the mutant  $\lambda$  Integrases, Int-h and Int-h/218, that are capable of catalyzing  $\lambda$  site-specific recombination *in vivo* in the absence of host co-factors IHF, Fis and Xis (see abstract).

Accordingly, it would have been obvious for an ordinary skilled artisan to modify the method taught by Hartley et al. by utilizing specifically the mutant  $\lambda$  Integrases, Int-h and Int-h/218, of Christ & Droege in their method of making a chimeric DNA due to the advantages offered by the mutant integrases.

An ordinary skilled artisan would have been motivated to carry out the above modification because as taught by Christ & Droege, the mutant integrases are capable of catalyzing  $\lambda$  site-specific recombination *in vivo* in the absence of host co-factors IHF, Fis and Xis.

An ordinary skilled artisan would have a reasonable expectation of success in light of the teachings of Hartley et al., Christ & Droege, and a high level of skill of an ordinary skilled artisan in the relevant art.

Therefore, the claimed invention as a whole was *prima facie* obvious in the absence of evidence to the contrary.

Claims 29, 36-37 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crouzet et al. (US Patent 6,143,530) in view Hartley et al. (US 5,888,732).

Crouzet et al teach a method for producing therapeutic DNA molecules by excision from a plasmid or from a chromosome by site-specific recombination, wherein the site-specific recombination is carried out in a host cell or *in vitro*, and wherein the site-specific recombination is carried out by means of various systems which lead to site-specific recombination between sequences (col. 3, line 27 continues to line 20 of col. 4; Figures 1-2). Specifically, Crouzet et al disclose that the gene or genes of interest flanked by the two sequences permitting site-specific recombination, positioned in the direct orientation in a vector, a phage or a virus, and the specific recombination sequences and recombinases used can belong to different structural classes, including

the integrase family of bacteriophage  $\lambda$  and the attP and attB sequences catalyzed by the phage lambda integrase (col. 4, lines 21-52; col. 5, lines 32-41). The disclosed attB sequence is identical to SEQ ID NO:1 of the present application (see SEQ ID NO:6), and therefore the corresponding attP recombination sequence must have the same SEQ ID NO: 2 of the present application, or at least a derivative thereof. Additionally, Crouzet et al. teach that their genetic constructs can be used for the construct of cell hosts having disclosed elements integrated in their genomes (col. 4, lines 4-9, and Figure 1). Crouzet et al further teach that the recombinase used can be under the control of a promoter or a system of inducible promoters, and it can be carried by a plasmid, a phage or even in the non-therapeutic region of the recombinant DNAs (col. 7, lines 45 continues to line 39 of col. 8), and that any type of host cell can be used including eukaryotic cells such as yeasts, animal cells, plant cells, mammalian cells such as CHO, COS and mouse NIH3T3 (col. 9, lines 48-60).

Crouzet et al do not specifically teach using attL or attR sequence in their method of producing therapeutic DNA molecules, even though they teach that any specific recombination sequences and appropriate recombinases can be used, including those belonging to the bacteriophage  $\lambda$  system. Nor do Crouzet et al. teach to further providing the eukaryotic cell with a fourth DNA fragment comprising Xis factor gene operably linked to a regulatory sequence effecting a spatial and/or temporal expression of the Xis factor gene.

However, at the effective filing date of the present application Hartley et al already teach that the use of  $\lambda$  Integrase, and its attB, attP, attL, and attR sequences for

making chimeric DNA molecules that have desired characteristics and/or DNA segments *in vitro* and *in vivo* (col. 8, lines 43-63). Hartley et al. further teach the use of integrase in the presence of  $\lambda$  protein Xis (excise) to catalyze the reaction of attR and attL in their method (col. 15, lines 1-4).

Accordingly, it would have been obvious for an ordinary skilled artisan to modify the method of Crouzet et al. by utilizing attL and attR sequences of the  $\lambda$  Integrase system to flank the gene of interest for the desired site-specific recombination, along with the use of a fourth DNA fragment comprising Xis factor gene operably linked to a regulatory sequence effecting a spatial and/or temporal expression of the Xis factor gene in light of the teachings of Hartley et al.

An ordinary skilled artisan would have been motivated to carry out the above modification because the system using  $\lambda$  Integrase and its attL and attR sequences to excise a DNA fragment, or a gene of interest in a minimal vector, is well known and well characterized as demonstrated by the teachings of Hartley et al. Additionally, it is also well known that the  $\lambda$  protein Xis (excise) is required to catalyze the reaction of attR and attL recombination sites, and that its expression under a controlled regulatory sequence is desired because one can control or regulate the excision of the desired gene of interest (similar to the desired control expression of the  $\lambda$  Integrase as already taught by Crouzet et al.).

An ordinary skilled artisan would have a reasonable expectation of success in light of the teachings of Crouzet et al., Hartley et al, and a high level of skill of an ordinary skilled artisan in the relevant art.

Therefore, the claimed invention as a whole was *prima facie* obvious in the absence of evidence to the contrary.

Claims 29 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crouzet et al. (US Patent 6,143,530) in view of Capecchi et al. (US 5,464,764).

The teachings of Crouzet et al. have been discussed above. However, Crouzet et al do not specifically teach that the first and/or the second DNA segment further comprising a sequence effecting integration of said first and/or second DNA segment into the genome of a cell by homologous recombination, even though they teach that their genetic constructs can be used for the construct of cell hosts having disclosed elements integrated in their genomes (col. 4, lines 4-9, and Figure 1).

However, at the effective filing date of the present application Capecchi et al. already describe a well-known method and a positive-negative selector vectorscomprising sequences to be introduced in the genome of a target cell by the homologous recombination approach (see abstract and Figure 1).

It would have been obvious for an ordinary skilled artisan to modify the method of Crouzet et al by introducing their genetic construct in the form of a positive-negative selector vector described by Capecchi et al. into a target host cell capable of homologous recombination, so that to incorporate their genetic construct in the genome of the host cell.

An ordinary skilled artisan would have been motivated to carry out the above modification because the approach taught by Capecchi et al. overcomes many

problems associated with random integration, and that the gene of interest can be introduced into any predetermined region of the genome of a target host cell.

An ordinary skilled artisan would have a reasonable expectation of success in light of the teachings of Crouzet et al., Capecchi et al, and a high level of skill of an ordinary skilled artisan in the relevant art.

Therefore, the claimed invention as a whole was *prima facie* obvious in the absence of evidence to the contrary.

### ***Conclusion***

#### ***No claims are allowed.***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1636

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quang Nguyen, Ph.D., whose telephone number is (571) 272-0776.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's mentor, David Guzo, Ph.D., may be reached at (571) 272-0767, or SPE, Irem Yucel, Ph.D., at (571) 272-0781.

**To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Group Art Unit 1636; Central Fax No. (703) 872-9306.**

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

*Quang Nguyen, Ph.D.*

  
DAVID GUZO  
PRIMARY EXAMINER